

HermanMiller

Nelson™ Bubble Lotus Table Lamp

Nelson™ Bubble Lotus Floor Lamp



FOR INDOOR DRY LOCATION USE ONLY.

DO NOT COVER ANY PART OF THE LUMINAIRE.

LAMP IS HOT! WHEN TURNED OFF, ENSURE LAMP HAS COOLED BEFORE CHANGING.

IF THE LUMINAIRE IS DAMAGED, IT SHOULD BE REPLACED, OR REPAIRED BY THE MANUFACTURER OR THEIR SERVICE AGENT OR SIMILAR QUALIFIED PERSON IN ORDER TO AVOID ANY HAZARD.

CAUTION
PLASTIC BAGS CAN BE DANGEROUS.
TO AVOID DANGER OF SUFFOCATION,
KEEP THIS BAG AWAY FROM BABIES AND CHILDREN

No Tools Required

Technical Specifications

Light source type: E27

Only use LED or Compact fluorescent energy saving lamps.

Lamp and colour to be specified separately.

Electrical

Class: 1 (This product must be earthed)

Input Voltage (VAC): 110-240V

Input Frequency (Hz): 50/60 Hz

Power Consumption (W): All Luminaire are individually marked

Environmental

Ingress Protection: IP20

Operating Temperature Range: +25°C

Storage Temperature Range: -10°C to +50°C

Humidity (non-condensing): 20-50% Non-condensing, dry locations only

Physical Specifications

All Luminaire vary in size and weight: *Typically



Small Shade = *.45kg; Medium Shade= *1.43 kg; Large Shade = *2.04 kg

Table Base = *1.5 kg; Floor Base = *4.26 kg

Parts Included (Cigar shown, Others available)

A. Lamp Shade
(Cigar Shown, Others available)

B. Shade Support and Base and Mounting
Screw



Floor Lamp Shown

Technical

Plastic polymer sprayed over a steel frame. Each Luminaire is supplied with Lotus base and power cord.

Cleaning Instructions

The surface can be dusted with a soft dry cloth. To remove dirt or grease, use water with a mild soap and rub gently using a soft white cloth or paper towel.

Do not use solvent-based cleaners or glass cleaners on this product. Please ensure luminaire is turned off during cleaning.

Translations

For translated versions of this document please visit the following links:

UK. hermanmiller.co.uk/nelson-bubble-lamps

FR. hermanmiller.fr/nelson-bubble-lamps

DE. hermanmiller.de/nelson-bubble-lamps

IT. hermanmiller.it/nelson-bubble-lamps

NL. hermanmiller.nl/nelson-bubble-lamps



BEFORE YOU BEGIN READ THESE INSTRUCTIONS COMPLETELY AND CAREFULLY.

THIS PRODUCT CAN BE MOUNTED WITHIN ARM'S REACH.

Save These Instructions

Use only in the manner intended by the manufacturer. If you have any questions, contact the manufacturer.

Installation Pre-check

Ensure the ambient in which the luminaire is to be operated will not exceed the maximum luminaire rating.

Ensure the environment is a dry location.

RISK OF ELECTRICAL SHOCK!

Do not operate luminaire with damaged parts.

Turn power off before inspection, installation or removal.

Turn power off when changing lamp.

Warranty VOID if serviced.

How to assemble your lamp

Step 1: (Table lamp and Floor lamp steps are the same except where noted)

1.1

After installing a light bulb, lower the lamp shade over the support frame.


1.2

With your free hand, slide the centering cleat up the lamp shaft.




Step 2

Pivot the shade to the left while you angle the centering cleat through the opening of the shade.




Step 3

Pivot the shade to the right while you angle the other half of the centering cleat through the shade opening.




Step 4

Once the cleat is fully inside the shade, slide it down the shaft.




Step 5

The cleat should be securely centered on the rim of the lamp shade, which prevents it from rocking.




Step 6

Fasten the lamp shade screw to the threaded hole located at the top of the lamp shade support.



Step 7

Plug the power cord into an appropriate outlet and enjoy your Nelson Bubble Floor Lamp.



For more information about the care and assembly of this product, please visit hermanmiller.com/care-and-assembly.
HermanMiller and  are among the registered trademarks of Herman Miller, Inc.
Nelson is among the trademarks of Herman Miller, Inc.
Printed in USA. Please recycle.
© 2016 Herman Miller, Inc., Zeeland Michigan. All rights reserved.